

Notulae to the Italian alien vascular flora: 18

Gabriele Galasso¹, Gianniantonio Domina^{2,3}, Michele Adorni⁴, Alessandro Alessandrini⁵, Nicola M. G. Ardenghi⁶, Gianluigi Bacchetta⁷, Giulio Barone^{2,3}, Fabrizio Bartolucci⁸, Dario Boker⁹, Giacomo Calvia¹⁰, Alba Cuena-Lombraña⁷, Adriana De Luca¹¹, Emanuele Del Guacchio¹², Mauro Fois⁷, Paola Fortini¹³, Andrea Lallai⁷, Michele Lonati¹⁴, Vanessa Lozano¹⁵, Giacomo Marengo^{3,14}, Francesco Mascia¹⁶, Giacomo Mei¹⁰, Enzo Meneguzzo¹⁷, Ginevra Nota¹⁴, Ines Orrù¹⁸, Lina Podda⁷, Luca Quaranta¹³, Riccardo Rocca², Marco Sarigu⁷, Adriano Stinca¹⁹, Francesca Valentini²⁰, Lorenzo Lastrucci²¹

I Sezione di Botanica, Museo di Storia Naturale di Milano, Corso Venezia 55, 20121 Milano, Italy 2 Dipartimento di Scienze Agrarie, Alimentari e Forestali (SAAF), Università di Palermo, Viale delle Scienze, edificio 4, 90128 Palermo, Italy **3** National Biodiversity Future Center (NBFC), Piazza Marina 61, 90133 Palermo, Italy 4 Orto Botanico, Sistema Museale di Ateneo, Università di Parma, Strada L.C. Farini 90, 43121 Parma, Italy 5 Via G. Pilati 19, 40018 San Pietro in Casale (Bologna), Italy 6 Orto Botanico, Sistema Museale di Ateneo, Università di Pavia, Via Sant'Epifanio 14, 27100 Pavia, Italy 7 Centro Conservazione Biodiversità (CCB), Dipartimento di Scienze della Vita e dell'Ambiente (DISVA), Università di Cagliari, Viale Sant'Ignazio da Laconi 13, 09123 Cagliari, Italy 8 Centro Ricerche Floristiche dell'Appennino (Università di Camerino - Parco Nazionale del Gran Sasso e Monti della Laga), San Colombo, 67021 Barisciano (L'Aquila), Italy **9** Vicolo Crocefisso 44, 38056 Levico Terme (Trento), Italy **10** Facoltà di Scienze Agrarie, Ambientali e Alimentari, Libera Università di Bolzano, Piazza Università 5, 39100 Bolzano, Italy II Orto Botanico, Università di Napoli Federico II, Via Foria 223, 80139 Napoli, Italy 12 Dipartimento di Biologia, Università di Napoli Federico II, c/o Orto Botanico, Via Foria 223, 80139 Napoli, Italy 13 Dipartimento di Bioscienze e Territorio, Università del Molise, Via H. Hertz s.n.c., 86090 Pesche (Isernia), Italy 14 Dipartimento di Scienze Agrarie, Forestali e Alimentari (DISAFA), Università di Torino, Largo P. Braccini 2, 10095 Grugliasco (Torino), Italy 15 Dipartimento di Agraria, Università di Sassari, Viale Italia 39a, 07100 Sassari, Italy 16 Dipartimento di Scienze della Vita, Università di Siena, Via P.A. Mattioli 4, 53100 Siena, Italy 17 Via San Francesco 29, 21018 Sesto Calende (Varese), Italy 18 Corso di Laurea in Conservazione e Gestione della Natura e dell'Ambiente, Università di Cagliari, Cittadella Universitaria Monserrato, S.P. Monserrato-Sestu km 0,700, 09042 Monserrato (Cagliari), Italy 19 Dipartimento di Scienze e Tecnologie Ambientali, Biologiche e Farmaceutiche, Università della Campania Luigi Vanvitelli, Via A. Vivaldi 43, 81100 Caserta, Italy **20** Museo delle Scienze di Trento (MUSE), Corso del Lavoro e della Scienza 3, 38122 Trento, Italy **21** Sistema Museale di Ateneo, Università di Firenze, Via G. La Pira 4, 50121 Firenze, Italy

Corresponding author: Gabriele Galasso (gabriele.galasso@comune.milano.it)

Academiceditor:Lorenzo Peruzzi | Received 15 November 2024 | Accepted 25 November 2024 | Published 29 November 2024

Citation: Galasso G, Domina G, Adorni M, Alessandrini A, Ardenghi NMG, Bacchetta G, Barone G, Bartolucci F, Boker D, Calvia G, Cuena-Lombraña A, De Luca A, Del Guacchio E, Fois M, Fortini P, Lallai A, Lonati M, Lozano V, Marengo G, Mascia F, Mei G, Meneguzzo E, Nota G, Orrù I, Podda L, Quaranta L, Rocca R, Sarigu M, Stinca A, Valentini F, Lastrucci L (2024) Notulae to the Italian alien vascular flora: 18. Italian Botanist 18: 155–166. https://doi.org/10.3897/italianbotanist.18.141896

Abstract

In this contribution, new data concerning the distribution of vascular flora alien to Italy are presented. It includes new records, exclusions, and status changes from casual to naturalized or invasive for Italy or for Italian administrative regions for taxa in the genera *Acacia*, *Akebia*, *Allocasuarina*, *Aloë*, *Brachychiton*, *Convolvulus*, *Freesia*, *Gleditsia*, *Hesperocyparis*, *Kalanchoë*, *Liriope*, *Mazus*, *Melia*, *Phyla*, *Platycladus*, *Prunus*, and *Retama*. Nomenclatural and distribution updates, published elsewhere, and corrections are provided as Suppl. material 1.

Keywords

Alien species, floristic data, Italy, nomenclature

How to contribute

The text for the new records, status changes from casual to naturalized or invasive, exclusions, and confirmations should be submitted electronically to Lorenzo Lastrucci (lorenzo.lastrucci@unifi.it). The corresponding specimen along with its scan or photograph has to be sent to FI Herbarium: Museo di Storia Naturale (Botanica), Sistema Museale di Ateneo, Via G. La Pira 4, 50121 Firenze (Italy). Those texts concerning nomenclatural novelties and typifications (only for accepted names) should be submitted electronically to Gabriele Galasso (gabriele.galasso@comune.milano.it). Each text should be within 1,000 characters (spaces included).

Floristic records

Acacia melanoxylon R.Br. (Fabaceae)

+ (INV) **ITALIA** (**SAR**): San Teodoro (Gallura Nord-Est Sardegna), Monte Nieddu (WGS84: 40.750272°N, 9.589148°E), invasiva in ambiente ripariale, 370 m, 15 July 2024, *M. Fois, A. Cuena-Lombraña* (FI, CAG). – Status change from naturalized to invasive alien for the flora of Sardegna.

Despite being recently reported as a casual alien (Galasso et al. 2024), this species has to be considered invasive in Sardegna. Several individuals, in all life stages, have been observed spreading in some natural environments, especially under humid and shady conditions, in Rio Leni (Villacidro, Sud Sardegna province), Monte Arci (Pau, Oristano province), Monte Nieddu (San Teodoro, Gallura Nord-Est Sardegna province), and Berchida (Siniscola, Nuoro province).

M. Fois, A. Cuena-Lombraña

Akebia quinata (Thunm. ex Houtt.) Decne. (Lardizabalaceae)

+ (NAT) **ITALIA** (**TAA**): Castelnuovo (Trento), scarpata incolta al margine settentrionale della strada che collega la loc. Spagolle (Castelnuovo) con Via G. Gozzer (Borgo Valsugana), a E del ponte che attraversa il Torrente Moggio (WGS84: 46.05056°N, 11.47202°E), scarpata incolta, 380 m, SSE, 14 April 2024, leg. *F. Valentini*, *D. Boker*, *L.M. Boker*, det. *F. Valentini* (FI, TR). – Status change from casual to naturalized alien for the flora of Italy (Trentino-Alto Adige).

Akebia quinata was previously reported as a casual alien in Trentino-Alto Adige by Wilhalm (2011). This new population was first seen in 2023. It consists of a large population, with individuals growing from the soil to the upper part of the trees. In 2024 numerous flowering individuals were detected.

F. Valentini, D. Boker

Allocasuarina verticillata (Lam.) L.A.S.Johnson (Casuarinaceae)

+ (NAT) **ITALIA** (**SAR**): Domus de Maria (Sud Sardegna), antica strada romana (WGS84: 38.909013°N, 8.899185°E), naturalizzata nella macchia, 81 m, 5 May 2024, *A. Lallai, M. Sarigu, L. Podda* (FI, CAG). – Status change from casual to naturalized alien for the flora of Italy (Sardegna).

This species was introduced in Sardegna in the second half of the 19th century (Gennari 1874) and has been used as an ornamental tree in urban greenery and for reforestation in degraded contexts. The area where the species was found has been subject to reforestation by the Regional Forestry Agency since the end of the 1950s to the 1970s with several non-native species, such as *Acacia saligna* (Labill.) H.L.Wendl., *A. pycnantha* Benth., and *Brachychiton populneus* (Schott & Endl.) R.Br. The population recorded here covers a surface of about 100 m², each with at least fifty individuals, including adults, juveniles, and seedlings, arranged in two groups of individuals. Accordingly, *Allocasuarina verticillata* is to be considered naturalized.

A. Lallai, M. Sarigu

Aloë microstigma Salm-Dyck subsp. microstigma (Asphodelaceae)

+ (NAT) **ITALIA** (**SIC**): Lampedusa e Linosa (Agrigento), Isola di Lampedusa, Cala Francese (WGS84: 35.496217°N, 12.626316°E), rocky uncultivated land, 10 m, 20 March 2024, *G. Domina* (FI, SAF). – Naturalized alien species new for the flora of Italy (Sicilia).

This species is native to Cape Province (South Africa), and is used in horticulture as low maintenance garden plant. The new population probably comes from maintenance pruning remains from nearby houses. An additional population of a few individuals has been observed in Favignana (Trapani province) at Cala del Passo, 30 m a.s.l. on a cliff overhanging the sea. Plant samples were identified according to Klopper et al. (2023).

G. Barone, G. Domina

Brachychiton populneus (Schott & Endl.) R.Br. (Malvaceae)

+ (NAT) **ITALIA** (**SAR**): Domus de Maria (Sud Sardegna), antica strada romana (WGS84: 38.913738°N, 8.907798°E), naturalizzata nella macchia, 30 m, 5 May 2024, *L. Podda, G. Bacchetta* (FI, CAG). – Status change from casual to naturalized alien for the flora of Italy (Sardegna).

Since the first report in 2018 (Ruggero et al. 2024), several individuals of various ages have been observed naturalized within the coastal scrub vegetation together with other non-native species (*Allocasuarina verticillata* [Lam.] L.A.S.Johnson, *Acacia saligna* [Labill.] H.L.Wendl., and *A. pycnantha* Benth.) in an area subjected to reforestation by the Regional Forestry Agency until the 1970s.

L. Podda, G. Bacchetta

Convolvulus tricolor L. subsp. tricolor (Convolvulaceae)

- CAM. - Alien species to be excluded from the flora of Campania.

The individuals reported as *Convolvulus tricolor* s.l. from the Phlegrean Fields (Napoli province) (Terracciano 1917) are to be referred to *C. tricolor* subsp. *cupanianus* (Tod.) Cavara & Grande (Bartolucci et al. 2024). The plants from the island of Capri (Cerio 1939) were described as intermediate between the same native subspecies and the autonym, non-native, subspecies. As Cerio (1939) was not able to assess if the plant was escaped or indigenous, and no specimen collected by him is available (*Herbarium I. Cerio*, pers. obs.), *C. tricolor* subsp. *tricolor* is to be excluded from the flora of Campania.

E. Del Guacchio, A. De Luca

Freesia leichtlinii Klatt subsp. alba (G.L.Mey.) J.C.Manning & Goldblatt (Iridaceae)

+ (NAT) **SIC**: Castellammare del Golfo (Trapani), Monte Inici, Contrada Belvedere (WGS84: 38.030211°N, 12.873714°E), side road, 190 m, 16 March 2024, *R. Rocca* (FI). – Status change from casual to naturalized alien for the flora of Sicilia.

In Sicilia, this species was previously reported as a casual alien. The report of *Freesia refracta* (Jacq.) Eckl. ex Klatt on the Island of Pantelleria (Domina and Mazzola 2008) refers to this taxon. In Castellammare del Golfo we observed an abundant population, comprising numerous individuals of various ages, many seeding, extending along the road, spanning approximately 50 m². Not far from the main population two smaller nuclei were observed, less than 1 km away. Similarly, another population consisting of several dozens of individuals on a road embankment on the road SS514, in southeastern Sicilia (Chiaramonte Gulfi, Ragusa province, WGS84: 37.057117°N, 14.649669°E) was observed.

R. Rocca, G. Barone

Gleditsia triacanthos L. (Fabaceae)

+ (NAT) **MOL**: Campobasso (Campobasso), poco a S di Via Campania (WGS84: 41.557252°N, 14.677393°E), lungo un sentiero, 657 m, 8 May 2024, *P. Fortini*, *L. Quaranta* (FI, IS). – Naturalized alien species new for the flora of Molise.

Around 10 individuals approximately 10–12 m tall were found along the path in a peripheral area of Campobasso. At least five individuals are mature and abundantly producing fruit and a notable renewal of young plants has been observed all around.

P. Fortini, L. Quaranta

Hesperocyparis arizonica (Greene) Bartel (Cupressaceae)

+ (NAT) **UMB**: Orvieto (Terni), nei pressi del Pozzo di San Patrizio (WGS84: 42.722664°N, 12.120481°E), pareti rocciose verticali che dalla città digradano verso il basso, 260 m, 11 February 2024, *G. Marengo, M. Lonati* (FI). – Status change from casual to naturalized alien for the flora of Umbria.

This species grows in vertical cliffs near the urban area of Orvieto, and probably has originated from individuals cultivated in the nearby urban parks. The population is stable, consisting of several shrubby and fruit-bearing individuals.

G. Marengo, M. Lonati

Kalanchoë ×houghtonii D.B.Ward (Crassulaceae)

+ (NAT) **SIC**: Palermo (Palermo), Monte Pellegrino, W slope (WGS84: 38.158301°N, 13.345287°E), pine grove, 70 m, 14 April 2024, *R. Rocca* (FI). – Status change from casual to naturalized alien for the flora of Sicilia.

This nothotaxon was first reported as a casual alien in Sicilia in 2017 (Di Gregorio et al. 2017). We observed an expanding population in Monte Pellegrino, reproducing both sexually and through leaf propagules. Two additional populations were recorded: one on a cliff in the harbour of Terrasini (Palermo province, WGS84: 38.15599°N, 13.08188°E), the other in Palermo along the motorway spur route connecting to Tommaso Natale/Sferracavallo (WGS84: 38.191133°N, 13.283020°E). In 2017, numerous individuals of *Kalanchoë* ×*houghtonii* were observed on the roofs of the historic center of Palermo (G. Galasso pers. comm).

R. Rocca, G. Barone

Liriope spicata (Thunb.) Lour. (Asparagaceae)

+ (NAT) **SAR**: Senorbì (Sud Sardegna), loc. Funtana 'e Canna (WGS84: 39.541880°N, 9.134429°E), area ruderale, 202 m, July 2024, *I. Orrù*, *F. Mascia* (FI). – Naturalized alien species new for the flora of Sardegna.

Individuals of the species have been found in ruderal areas, along the edges of the railroad, and originated from dispersed propagules of plants that were

cultivated over 10 years ago in the garden of a cantonment house and no longer present today.

I. Orrù, F. Mascia

Mazus pumilus (Burm.f.) Steenis (Mazaceae)

+ (NAT) **EMR**: Parma (Parma), Basilica di Santa Maria della Steccata (WGS84: 44.802658°N, 10.327379°E), tra le fessure del selciato, 53 m, 1 July 2024, *M. Adorni, A. Alessandrini* (FI). – Naturalized alien species new for the flora of Emilia-Romagna.

M. Adorni, A. Alessandrini

Melia azedarach L. (Meliaceae)

+ (NAT) **SAR**: Oristano (Oristano), strada SP56 (WGS84: 39.92388°N, 8.58032°E), incolto, substrato sabbioso, presente lungo i bordi stradali, 9 m, 29 July 2024, leg. *V. Lozano, G. Brundu*, det. *G. Brundu* (FI, *Herb. Uniss Agraria*). – Status change from casual to naturalized alien for the flora of Sardegna.

The species was observed also in: Selargius (Cagliari) (WGS84: 39.253887°N, 9.173048°E), uncultivated land, 10 m, 9 June 2024, *L. Podda*; San Vito (Sud Sardegna), road SS125 'Orientale Sarda' (WGS84: 39.520588°N, 9.595178°E), roadside, 8 m, 15 June 2024, *L. Podda*; Cagliari (Cagliari), Viale G. Marconi (WGS84: 39.243090°N, 9.152730°E), roadside, 6 m, 5 July 2024, *L. Podda*; Oristano (Oristano), road SP81, Viale Repubblica 23 (WGS84: 39.90775°N, 8.56968°E), roadside, 9 m, 29 July 2024, *V. Lozano, G. Brundu*. The observed individuals probably originated from plants cultivated as ornamentals in adjacent gardens. In recent years, we have observed several naturalized adult individuals and seedlings in ecosystems subject to anthropogenic disturbance including the southern (particularly Campidano), central eastern (Sarrabus and Ogliastra) and central western parts (Oristano) of Sardegna.

V. Lozano, L. Podda

Phyla canescens (Kunth) Greene (Verbenaceae)

+ (NAT) **LOM**: Gerenzano (Varese), Via R. Lepetit 34 (WGS84: 45.632838°N, 8.966914°E), verde curato all'interno dell'Insubrias BioPark, 227 m, 28 September 2016, *E. Meneguzzo* (FI, *Herb. E. Meneguzzo*). – Status change from casual to naturalized alien for the flora of Lombardia.

In recent years this population of *Phyla canescens* has expanded to occupy an area of approximately 200 m².

Enzo Meneguzzo, Nicola M.G. Ardenghi

Platycladus orientalis (L.) Franco (Cupressaceae)

+ (NAT) **TAA**: Merano (Bolzano), loc. Quarazze (WGS84: 46.684801°N, 11.149760°E), vegetazione sinantropica di recupero delle scarpate e delle aree più

disturbate della vegetazione forestale, 365 m, 8 March 2024, leg. *G. Mei, E. Grande*, det. *G. Mei, A. Stinca* (FI, *Herb. G. Mei*). – Status change from casual to naturalized alien for the flora of Trentino-Alto Adige.

The discovery of a population characterized by individuals of different ages, renewal and seedlings in the municipality of Merano, highlights how the species has now become naturalized in Trentino-Alto Adige.

G. Mei, A. Stinca

Prunus amygdalus Batsch (Rosaceae)

+ (NAT) **SAR**: Quartu Sant'Elena (Cagliari), loc. Simbirizzi, incolti del lago (WGS84: 39.264670°N, 9.197378°E), naturalizzata negli incolti, 47 m, 25 July 2024, *G. Calvia, F. Mascia, G. Bacchetta* (FI, CAG). – Status change from casual to naturalized alien for the flora of Sardegna.

This species has been cultivated throughout the island since a long time, exhibiting little to no tendency to become wild. At most, it would often spread around the planted trees through vegetative propagation. However, in recent years we have observed adult and subadult specimens in areas far from old plantations, with regeneration occurring through seed propagation as well. This naturalization has been noted in several areas of the island, including both the southern (particularly Campidano and Marmilla) and northern (Logudoro and Mejlogu) parts.

G. Calvia, F. Mascia

Retama monosperma (L.) Boiss. subsp. monosperma (Fabaceae)

+ (NAT) **ITALIA** (**LIG**): Ventimiglia (Imperia), fraz. Latte, lungo la strada SS1 Aurelia (WGS84: 43.795199°N, 7.571592°E), margine della strada, negli interstizi del muro di contenimento, 37 m, 20 February 2024, *M. Lonati, G. Nota* (FI). – Status change from casual to naturalized alien for the flora of Italy (Liguria).

The species colonizes uncultivated fields and abandoned terraces in the area between Latte and Bordighera (Imperia province), also settling in cracks of walls and sidewalks of urban infrastructures.

M. Lonati, G. Nota

Nomenclatural and distribution updates from other literature sources

Nomenclatural, status, and distribution updates according to Negri (1943), Schroeder (1972), Roma-Marzio et al. (2016), Paton et al. (2019), Moroni and O'Leary (2020), Knapp and Naczi (2021), Alterio et al. (2023), Jesus et al. (2023), Andreone and Guazzone (2024), Antonietti and Dellavedova (2024a, 2024b), Antonietti et al. (2024a, 2024b, 2024c), Bajona et al. (2024), Bonivento et al. (2024), Borghesan et al. (2024), Brusa (2024), Chepinoga et al. (2024), Đurović et al. (2024), Elvebakk and Bjerke

(2024), Fiaschi et al. (2024), Freire et al. (2024), Missouri Botanical Garden (2024 [onwards]), Pascale (2024), Pasta and Badalamenti (2024), Picco and Deandrea (2024), POWO (2024a [onwards], 2024b [onwards], 2024c [onwards], 2024d [onwards], 2024e [onwards], 2024f [onwards], 2024g [onwards], 2024h [onwards]), Roma-Marzio et al. (2024), Röser and Tkach (2024), Rota and Olivero (2024), Selvaggi and Dellavedova (2024), Sukhorukov et al. (2024), Verloove et al. (2024), Pasta et al. (2025), and corrections to Galasso et al. (2024), available at the Portal to the Flora of Italy (2024), are provided in Suppl. material 1.

G. Galasso, F. Bartolucci

Acknowledgements

We gratefully acknowledge the Acta Plantarum staff, Enrico Banfi, Lorenzo Peruzzi, Francesco Roma-Marzio, Rizzieri R. Masin, and Alberto Selvaggi who provided useful information.

References

- Alterio E, Argenti C, Baro E, Bordin G, Campagnaro T, Camuffo A, Elerdini M, Favaro G, Filesi L, Iacopino S, Lattanzi E, Masin R, Perfetti M, Scariot A, Scortegagna S, Sitzia T, Trentanovi G, Villani M (2023) Segnalazioni floristiche venete: Tracheofite 595–631, Briofite 32–43. Natura Vicentina 23[2021–2022]: 71–95.
- Andreone F, Guazzone M (2024) Nota n. 1304. *Hyacinthoides ×massartiana* Geerinck (Asparagaceae). In: Selvaggi A, Soldano A, Pascale M, Dellavedova R (Eds) Note floristiche piemontesi n. 1243–1314. Rivista Piemontese di Storia Naturale 45: 217.
- Antonietti A, Dellavedova R (2024a) Nota n. 1286. *Nassella tenuissima* (Trin.) Barkworth (Poaceae). In: Selvaggi A, Soldano A, Pascale M, Dellavedova R (Eds) Note floristiche piemontesi n. 1243–1314. Rivista Piemontese di Storia Naturale 45: 213.
- Antonietti A, Dellavedova R (2024b) Nota n. 1290. *Hosta ventricosa* Stearn (Asparagaceae). In: Selvaggi A, Soldano A, Pascale M, Dellavedova R (Eds) Note floristiche piemontesi n. 1243–1314. Rivista Piemontese di Storia Naturale 45: 214–215.
- Antonietti A, Ardenghi NMG, Dellavedova R (2024a) Nota n. 1308. *Vitis ×novae-angliae* Fernald (Vitaceae). In: Selvaggi A, Soldano A, Pascale M, Dellavedova R (Eds) Note floristiche piemontesi n. 1243–1314. Rivista Piemontese di Storia Naturale 45: 218.
- Antonietti A, Clemente F, Dellavedova R (2024b) Nota n. 1284. *Thladiantha dubia* Bunge (Cucurbitaceae). In: Selvaggi A, Soldano A, Pascale M, Dellavedova R (Eds) Note floristiche piemontesi n. 1243–1314. Rivista Piemontese di Storia Naturale 45: 212.
- Antonietti A, Dellavedova R, Selvaggi A (2024c) Nota n. 1283. *Parthenocissus inserta* (A.Kern.) Fritsch (Vitaceae). In: Selvaggi A, Soldano A, Pascale M, Dellavedova R (Eds) Note floristiche piemontesi n. 1243–1314. Rivista Piemontese di Storia Naturale 45: 211–212.
- Bajona E, Spadaro V, Raimondo FM (2024) From urban greenery and security hedging uses to naturalization: current and new status of some woody alien species in Sicily. In: 119°

- Congresso della Società Botanica Italiana. X International Plant Science Conference (IPSC). Teramo, 11–13 September 2024, 45.
- Bartolucci F, Domina G, Buccomino G, Ciaschetti G, Conti F, Costanza N, De Luca A, Del Guacchio E, Falcinelli F, Forte L, Galasso G, Ganz C, Iamonico D, Lonati M, Marengo G, Mei G, Nota G, Orsenigo S, Pazienza G, Pellegrino G, Pinzani L, Stinca A, Tavilla G, Tilia A, Tomaselli V, Tondi G, Venanzoni R, Lastrucci L (2024) Notulae to the Italian native vascular flora: 18. Italian Botanist 18: 97–108. https://doi.org/10.3897/italianbotanist.18.140958
- Bonivento E, Selvaggi A, Cravello C, Stinca A, Soldano A (2024) Nota n. 1285. *Oxalis articulata* Savigny (Oxalidaceae). In: Selvaggi A, Soldano A, Pascale M, Dellavedova R (Eds) Note floristiche piemontesi n. 1243–1314. Rivista Piemontese di Storia Naturale 45: 212.
- Borghesan S, Fasano F, Crippa A, Quaglini LA, Citterio S, Banfi E, Galasso G, Gentili R (2024) First record of *Klasea quinquefolia* (M.Bieb. ex Willd.) Greuter & Wagenitz (Asteraceae) in Italy. BioInvasions Records 13(3): 577–588. https://doi.org/10.3391/bir.2024.13.3.02
- Brusa G (2024) I bambù negli habitat naturali e seminaturali: specie, distribuzione ed ecologia. Natura Bresciana 46[2023]: 5–46.
- Cerio E (1939) Note sulla flora caprese. Archivio Botanico e Biogeografico Italiano 15(2): 134–147.
- Chepinoga VV, Barkalov VY, Ebel AL, Knyazev MS, Baikov KS, Bobrov AA, Chkalov AV, Doronkin VM, Efimov PG, Friesen NV, German DA, Gontcharov AA, Grabovskaya-Borodina AE, Gureyeva II, Ivanenko YA, Kechaykin AA, Korobkov AA, Korolyuk EA, Kosachev PA, Kupriyanov AN, Luferov AN, Melnikov DG, Mikhailova MA, Nikiforova OD, Orlova LV, Ovchinnikova SV, Pinzhenina EA, Poliakova TA, Shekhovstsova IN, Shipunov AB, Shmakov AI, Smirnov SV, Tkach N, Troshkina VI, Tupitsyna NN, Vasjukov VM, Vlasova NV, Verkhozina AV, Anenkhonov OA, Efremov AN, Glazunov VA, Khoreva MG, Kiseleva TI, Krestov PV, Kryukova MV, Kuzmin IV, Lashchinskiy NN, Pospelov IN, Pospelova EB, Zolotareva NV, Sennikov AN (2024) Checklist of vascular plants of Asian Russia. Botanica Pacifica 13(sp.iss.): 3–310. https://doi.org/10.17581/bp.2024.13S01
- Di Gregorio G, Bellone G, Cassanego E, Longo D, Montalto S, Montoleone E, Tomasello G (2017) Rassegna di segnalazioni notevoli riguardanti la Sicilia. Acta Plantarum Notes 5: 70–74.
- Domina G, Mazzola P (2008) Flora ornamentale delle isole circumsiciliane. Quaderni di Botanica Ambientale e Applicata 19: 107–119.
- Đurović SZ, Temunović M, Schönswetter P, Frajman B (2024) Polyploidisation and niche differentiation drive the diversification of the *Euphorbia epithymoides* group (Euphorbiaceae) in southeastern Europe. Perspectives in Plant Ecology, Evolution and Systematics 65: 125825. https://doi.org/10.1016/j.ppees.2024.125825
- Elvebakk A, Bjerke JW (2024) *Papaver* recircumscribed: a review of neighbouring Papaveraceae genera, including *Afropapaver* nom. et stat. nov. and *Oreomecon*, a large, Arctic-Alpine genus. PhytoKeys 248: 105–188. https://doi.org/10.3897/phytokeys.248.121011
- Fiaschi T, Bonari G, Frignani F, Gizzi G, Landi M, Magrini S, Quilghini G, Pafumi E, Scoppola A, Angiolini C (2024) Vascular flora of the isthmus of Feniglia (southern Tuscany, Italy). Italian Botanist 17: 77–101. https://doi.org/10.3897/italianbotanist.17.122982
- Freire SE, Grossi MA, Bayón ND, Monti C, Iharlegui L, Migoya MA (2024) Taxonomic revision and morphometric analysis of *Gamochaeta* (Asteraceae, Gnaphalieae). Annals of the Missouri Botanical Garden 109: 244–320. https://doi.org/10.3417/2024836

- Galasso G, Conti F, Peruzzi L, Alessandrini A, Ardenghi NMG, Bacchetta G, Banfi E, Barberis G, Bernardo L, Bouvet D, Bovio M, Castello M, Cecchi L, Del Guacchio E, Domina G, Fascetti S, Gallo L, Guarino R, Gubellini L, Guiggi A, Hofmann N, Iberite M, Jiménez-Mejías P, Longo D, Marchetti D, Martini F, Masin RR, Medagli P, Musarella CM, Peccenini S, Podda L, Prosser F, Roma-Marzio F, Rosati L, Santangelo A, Scoppola A, Selvaggi A, Selvi F, Soldano A, Stinca A, Wagensommer RP, Wilhalm T, Bartolucci F (2024) A second update to the checklist of the vascular flora alien to Italy. Plant Biosystems 158(2): 297–340. https://doi.org/10.1080/11263504.2024.2320129
- Gennari P (1874) La guida dell'Orto Botanico della R. Università di Cagliari. Tip. Edit. dell'Avvenire di Sardegna, Cagliari.
- Jesus A, Bonhomme V, Evin A, Soteras R, Jacomet S, Bouby L, Antolin F (2023) Morphometrics of waterlogged archaeological seeds give new insights into the domestication and spread of *Papaver somniferum* L. in western Europe. PLOS One 18(5): e0286190. https://doi.org/10.1371/journal.pone.0286190
- Klopper RR, Grace OM, Klopper AW, Smith GF, Wyk AEV (2023) A taxonomic revision of *Aloe* sect. *Purpurascentes* (Asphodelaceae subfam. Alooideae). Phytotaxa 628(1): 1–64. https://doi.org/10.11646/phytotaxa.628.1.1
- Knapp WM, Naczi RFC (2021) Vascular plants of Maryland, USA. A comprehensive account of the state's botanical diversity. Smithsonian Contributions to Botany 113: 1–151. https://doi.org/10.5479/si.14605674
- Missouri Botanical Garden (2024) [onwards] *Amelanchier lamarckii*. In: Missouri Botanical Garden. Plant Finder. Missouri Botanical Garden, St. Louis. https://www.missouribotanicalgarden.org/PlantFinder/PlantFinderDetails.aspx?kempercode=a403 [Accessed 02.10.2024]
- Moroni P, O'Leary N (2020) Insights into the systematics of tribe Duranteae (Verbenaceae) II: a taxonomic revision of the New World genus *Duranta*. Annals of the Missouri Botanical Garden 105(4): 502–577. https://doi.org/10.3417/2020581
- Negri G (1943) A proposito di alcune nuove località di *Loranthus europaeus* L. in Italia. Nuovo Giornale Botanico Italiano, n.s. 50(1–2): 149–152. https://doi.org/10.1080/11263504309439862
- Pascale M (2024) Nota n. 1282. *Iris pallida* Lam. (Iridaceae). In: Selvaggi A, Soldano A, Pascale M, Dellavedova R (Eds) Note floristiche piemontesi n. 1243–1314. Rivista Piemontese di Storia Naturale 45: 211.
- Pasta S, Badalamenti E (2024) Found but lost? The short-lived success of *Crataegus coccinea* L. (Rosales: Rosaceae) in north-eastern Sicily (Italy). Natural History Sciences 11(2): 65–69. https://doi.org/10.4081/nhs.2024.758
- Pasta S, Lo Cascio P, Badalamenti E (2025) Additional data on the ongoing naturalization of the non-native woody plant *Duranta erecta* (Verbenaceae) in Sicily, Italy. Acta Botanica Croatica 84(1). [e-first] https://doi.org/10.37427/botcro-2025-009
- Paton AJ, Mwanyambo M, Govaerts RHA, Smitha K, Suddee S, Phillipson PB, Wilson TC, Forster PI, Culham A (2019) Nomenclatural changes in *Coleus* and *Plectranthus* (Lamiaceae): a tale of more than two genera. PhytoKeys 129: 1–158. https://doi.org/10.3897/phytokeys.129.34988

- Picco F, Deandrea G (2024) Nota n. 1309. *Acalypha australis* L. (Euphorbiaceae). In: Selvaggi A, Soldano A, Pascale M, Dellavedova R (Eds) Note floristiche piemontesi n. 1243–1314. Rivista Piemontese di Storia Naturale 45: 218–219.
- Portal to the Flora of Italy (2024) Portale della Flora d'Italia/Portal to the Flora of Italy. 2024.2. https://dryades.units.it/floritaly/ [Accessed 06.10.2024]
- POWO (2024a) [onwards] *Anisodontea* × *hypomadara* (Sprague) D.M.Bates. In: Plants of the World Online. Facilitated by the Royal Botanic Gardens, Kew. https://powo.science.kew.org/taxon/urn:lsid:ipni.org:names:558945-1 [Accessed 27.06.2024]
- POWO (2024b) [onwards] *Bambusa vulgaris* Schrad. ex J.C.Wendl. In: Plants of the World Online. Facilitated by the Royal Botanic Gardens, Kew. https://powo.science.kew.org/taxon/urn:lsid:ipni.org:names:392574-1 [Accessed 17.06.2024]
- POWO (2024c) [onwards] *Brachychiton populneus* (Schott & Endl.) R.Br. In: Plants of the World Online. Facilitated by the Royal Botanic Gardens, Kew. https://powo.science.kew.org/taxon/urn:lsid:ipni.org:names:822268-1 [Accessed 27.06.2024]
- POWO (2024d) [onwards] *Hibiscus ×rosa-sinensis* L. In: Plants of the World Online. Facilitated by the Royal Botanic Gardens, Kew. https://powo.science.kew.org/taxon/urn:lsid:ipni.org:names:560756-1 [Accessed 27.06.2024]
- POWO (2024e) [onwards] *Paeonia* ×*suffruticosa* Andrews. In: Plants of the World Online. Facilitated by the Royal Botanic Gardens, Kew. https://powo.science.kew.org/taxon/urn:lsid:ipni.org:names:711877-1 [Accessed 24.06.2024]
- POWO (2024f) [onwards] *Panicum gattingeri* Nash. In: Plants of the World Online. Facilitated by the Royal Botanic Gardens, Kew. [Accessed 01.10.2024]
- POWO (2024g) [onwards] *Papaver somniferum* subsp. *somniferum*. In: Plants of the World Online. Facilitated by the Royal Botanic Gardens, Kew. https://powo.science.kew.org/taxon/urn:lsid:ipni.org:names:111359-3 [Accessed 05.11.2024]
- POWO (2024h) [onwards] *Phyllostachys edulis* (Carrière) J.Houz. In: Plants of the World Online. Facilitated by the Royal Botanic Gardens, Kew. https://powo.science.kew.org/taxon/urn:lsid:ipni.org:names:415998-1 [Accessed 17.06.2024]
- POWO (2024i) [onwards] *Prunus amygdalus* Batsch. In: Plants of the World Online. Facilitated by the Royal Botanic Gardens, Kew. https://powo.science.kew.org/taxon/urn:lsid:ipni.org:names:60439867-2 [Accessed 15.10.2024]
- Roma-Marzio F, Ardenghi NMG, Argenti E, Banfi E, Campagnolo G, Ceschin S, D'Ascanio M, Di Lernia D, Falcidia G, Fanfarillo E, Fiaschi T, Galasso G, Giardini M, Gurau M, Kleih M, Iamonico D, Olivieri N, Meneguzzo E, Pelella E, Perolini D, Pinzani L, Lastrucci L (2024) Nuove segnalazioni floristiche italiane 17. Flora vascolare (189–215). Notiziario della Società Botanica Italiana 8: 1–7. [e-first]
- Roma-Marzio F, Bedini G, Müller JV, Peruzzi L (2016) A critical checklist of the woody flora of Tuscany (Italy). Phytotaxa 287(1): 1–135. https://doi.org/10.11646/phytotaxa.287.1.1
- Röser M, Tkach N (2024) Delimitation and nomenclature of *Agrostis*, *Polypogon* and related grasses (Poaceae subfamily Pooideae). Schlechtendalia 41: 63–67. https://doi.org/10.25673/116223

- Rota F, Olivero G (2024) Nota n. 1280. *Leonurus sibiricus* L. (Lamiaceae). In: Selvaggi A, Soldano A, Pascale M, Dellavedova R (Eds) Note floristiche piemontesi n. 1243–1314. Rivista Piemontese di Storia Naturale 45: 210.
- Ruggero A, Trainito E, Bacchetta G, Podda L, Lallai A, Mascia F, Manca M, Bertotto G, Calvia G (2024) Contribution to a new vascular flora of Sardinia (Italy): I (1–30). Flora Mediterranea 34: 13–46. https://doi.org/10.7320/FlMedit34.013
- Schroeder F-G (1972) *Amelanchier*-Arten als Neophyten in Europa. Abhandlungen des Naturwissenschaftlichen Vereins zu Bremen 37(3): 287–419.
- Selvaggi A, Dellavedova R (2024) Nota n. 1281. *Liriodendron tulipifera* L. (Magnoliaceae). In: Selvaggi A, Soldano A, Pascale M, Dellavedova R (Eds) Note floristiche piemontesi n. 1243–1314. Rivista Piemontese di Storia Naturale 45: 210–211.
- Sukhorukov AP, Kushunina MA, Stepanova NY, Kalmykova OG, Golovanov YM, Sennikov AN (2024) Taxonomic inventory and distributions of Chenopodiaceae (Amaranthaceae s.l.) in Orenburg Region, Russia. Biodiversity Data Journal 12: e121541. https://doi.org/10.3897/BDJ.12.e121541
- Terracciano N (1917) Aggiunta alla "Flora dei Campi Flegrei". Atti del Real Istituto di Incoraggiamento alle Scienze Naturali di Napoli, s. 7 68[1916]: 269–450.
- Verloove F, Prosser F, Busnardo G, Leliaert F (2024) Morphological and molecular data confirm the first European record of *Sagina maxima* (Caryophyllaceae) in Bassano del Grappa (Veneto region, northeastern Italy). BioInvasions Records 13(2): 305–317. https://doi.org/10.3391/bir.2024.13.2.02
- Wilhalm T (2011) Ergänzungen und Korrekturen zum Katalog der Gefäßpflanzen (4). Gredleriana 11: 71–82.

Supplementary material I

Supplementary data

Authors: Gabriele Galasso, Fabrizio Bartolucci

Data type: pdf

Explanation note: 1. Nomenclatural updates; 2. Note updates; 3. Distribution updates; 4. Synonyms, misapplied or included names.

Copyright notice: This dataset is made available under the Open Database License (http://opendatacommons.org/licenses/odbl/1.0/). The Open Database License (ODbL) is a license agreement intended to allow users to freely share, modify, and use this Dataset while maintaining this same freedom for others, provided that the original source and author(s) are credited.

Link: https://doi.org/10.3897/italianbotanist.18.141896.suppl1